Contents of Volume 150

(Abstracted/indexed in: Chemical Abstracts; Current Contents; Physical, Chemical & Earth Sciences; INSPEC; PASCAL/CNRS; MEDLINE)

Vol. 150 Nos. 1-3

| Molecular positional order in a dipalmitoylphosphatidic acid Langmuir-Blodgett monolayer by atomic force microscopy Y. Chunbo, D. Desheng, L. Zuhong and L. Juzheng (Nanjing, People's Republic of China) | 1 |
|---|-----|
| Synthesis and ion exchange behaviour of polyaniline Sn(IV) arsenophosphate: a polymeric inorganic ion exchanger | |
| R. Niwas, A.A. Khan and K.G. Varshney (Aligarh, India) | 7 |
| Adsorption studies of polyethers: Part II: adsorption onto hydrophilic surfaces | |
| J.A. Shar, T.M. Obey and T. Cosgrove (Bristol, UK) | 15 |
| Studies on solvophobic interactions and micelle formation in non aqueous solvents | |
| M.S. Akhter (Isa Town, Bahrain) | 25 |
| An infrared study on the chemisorption of tertiary phosphines on coinage and platinum group metal surfaces | 23 |
| | |
| G. Westermark (Uppsala, Sweden), H. Kariis (Linköping, Sweden), I. Persson (Uppsala, Sweden) and B. Liedberg | 21 |
| (Linköping, Sweden) | 31 |
| Ultrasonic attenuation spectroscopy study of flocculation in protein stabilized emulsions | |
| K. Demetriades and D.J. McClements (Amherst, MA, USA) | 45 |
| Pyrene solubilization capacity in octaethylene glycol monododecyl ether (C ₁₂ E ₈) micelles | |
| JH. Kim, M.M. Domach and R.D. Tilton (Pennsylvania, USA) | 55 |
| Demulsification of water-in-oil emulsion by wetting coalescence materials in stirred- and packed-columns | |
| S. Dezhi (Harbin, People's Republic of China), J. Shik Chung (Pohang, South Korea), D. Xiaodong and Z. Ding | |
| (Harbin, People's Republic of China) | 69 |
| Infrared spectra of geminal and novel triple hydroxyl groups on silica surface | |
| T. Takei, K. Kato, A. Meguro and M. Chikazawa (Tokyo, Japan) | 77 |
| Surface acidity and basicity of functionalized silica particles | |
| M.A. Markowitz, P.E. Schoen, P. Kust and B.P. Gaber (Washington, DC, USA) | 85 |
| Formation of fractal porous silica by hydrolysis of TEOS in a bicontinuous microemulsion | |
| K. Aikawa, K. Kaneko, T. Tamura, M. Fujitsu and K. Ohbu (Chiba, Japan) | 95 |
| Solution behavior of a surfactant aldehyde-the oxidation product of an alcohol ethoxylate | |
| I. Blute, M. Svensson, K. Holmberg, M. Bergh and AT. Karlberg (Stockholm, Sweden) | 105 |
| Anomalous stability of aqueous boehmite dispersions induced by hydrolyzed aluminium poly-cations | 100 |
| M.P.B. van Bruggen, M. Donker, H.N.W. Lekkerkerker and T.L. Hughes (CH Utrecht, The Netherlands) | 115 |
| | 113 |
| Electrophoretic mobility of latex particles: effect of particle size and surface structure | 120 |
| L. Vorwerg, M. Antonietti and K. Tauer (Teltow-Seehof, Germany) | 129 |
| Subphase pH effect on composition and structure of Fe(III) arachidate monolayers | |
| HG. Liu, CG. Yang and KZ. Yang (Jinan, PR China) | 137 |
| Study of the aggregation of nonylammonium chloride in aqueous solutions of sodium chloride by vapor pressure osmometry | |
| M. Ballesteros, C. Coronel and P.A. Galera-Gómez (Madrid, Spain) | 143 |
| Relation of lattice ion solution composition to octacalcium phosphate dissolution kinetics | |
| E.M. Burke and G.H. Nancollas (Buffalo, NY, USA) | 151 |
| Preparation and characterization of hydrophobic calcium hydroxyapatite particles grafting oleylphosphate groups | |
| K. Kandori, A. Fujiwara, A. Yasukawa and T. Ishikawa (Osaka, Japan) | 161 |
| Factors affecting the stability of foamed concentrated emulsions | |
| D. Turner, B. Dlugogorski and T. Palmer (Callaghan, Australia) | 171 |
| Dewatering characteristics of algae-containing alum sludge | |
| J.R. Pan, C. Huang, YC. Chuang and CC. Wu (Hsinchu, Taiwan, ROC) | 185 |
| Application of size exclusion chromatography with surfactant eluent to the study of polymer-surfactant interactions: | |
| oligomeric and micellar chromatographic effects | |
| A.P. Rodenhiser and J.C.T. Kwak (Halifax, Canada) | 191 |

Volume contents

| Viscometric study of the sodium hyaluronate-sodium chloride-aikyr-(n)-ammonium surfactant system | |
|---|-----|
| M. Pisárčik, M. Soldán, D. Bakoš, F. Devínsky and I. Lacko (Bratislava, Slovakia) | 207 |
| Rheology of semi-dilute emulsions: viscoelastic effects caused by the interfacial tension | |
| I. Vinckier, M. Minale, J. Mewis and P. Moldenaers (Leuven, Belgium) | 217 |
| Determination of equilibrium distribution constants of phenol between surfactant micelles and water using ultrafiltering centrifuge tubes | |
| J. Sabaté, M. Pujolà, E. Centelles, M. Galán and J. Llorens (Barcelona, Spain) | 229 |
| Streaming potential measurements as a characterization method for nanofiltration membranes | |
| J.M.M. Peeters, M.H.V. Mulder and H. Strathmann (Enschede, The Netherlands) | 247 |
| Application of the Schulze-Hardy rule to haematite and haematite/humate colloid stability | |
| K.E. Verrall, P. Warwick and A.J. Fairhurst (Loughborough, UK) | 261 |
| Binding of dodecyloxyethylpyridinium bromide to polymer: the effect of molecular geometry of surfactant | |
| J. Liu, M. Nakama, N. Takisawa and K. Shirahama (Saga, Japan) | 275 |
| Time dependent viscosity of concentrated alumina suspensions | |
| T. Lemke, F. Bagusat, K. Köhnke, K. Husemann and HJ. Mögel (Freiberg, Germany) | 283 |
| Langmuir-Blodgett films of pyridinium-dicyanomethanide dyes mixtures with photobleachable absorption bands | |
| R. Ricceri, A. Abbotto, A. Facchetti, D. Grando, G. Gabrielli and G.A. Pagani (Milano, Italy) | 289 |
| Interphase synthesis and some characteristics of stable colloidal solution of CuO in octane | |
| S.A. Vorobyova, A.I. Lesnikovich and V.V. Muchinskii (Minsk, Belarus) | 297 |
| Author Index | 301 |
| | 303 |
| | 305 |

